DNA marker 200-1500+ (200-700 by 50 bp)

(Catalogue number D120, D121, D122)

Description

Estimation of the size of DNA fragments generated in PCR (PCR fragments) or by DNA cutting by restriction enzymes (restriction fragments) is usually based on the comparison of these fragments with DNA fragments of known size (DNA markers). Size of PCR fragments is usually in the range 200-1500 base pairs. This range is covered by DNA fragments, which are part of DNA marker 200-1500+ (Fig. 1). These fragments were produced by amplification of plasmid DNA of different length.

Technical data

Concentration

• 2 μg DNA/10 μl buffer (10 mM Tris-HCl, 25 mM EDTA, additives).

Packaging

• 1 tube containing 50 μg of amplified DNA fragments in 250 μl of buffer. This amount enables preparation of 25 (each 10 μl) or 50 (each 5 μl) markers.

Storage

• Store at temperature -20 ± 4°C. Material can be repeatedly defrosted.

Quality control

• The presence of corresponding fragments is controlled by electrophoresis in agarose gel supplemented with ethidium bromide (1 μ g/ml). When observed under UV light, 16 DNA fragments are observed (200, 250, 300, 350, 400, 450, **500**, 550, 600, 650, 700, 800, 900, 1000, 1200, 1500 bp). 500 bp fragment is present in 2x higher amount (see Fig. 1).

Protocol

Recommended protocol for determination of the size of PCR products

Add into 0.5 ml tube:

- 10 μl DNA marker 200-1500+,
- 3 µl PCR loading buffer (Cat. No. P066).

Mix by pipeting tip and load into the well of the gel prepared from PCR agarose (Cat. No. P045).

Load into nearby wells the samples prepared by mixing:

- 10 μl PCR product,
- 3 µl PCR loading buffer.

Figure. 1. Electrophoretic separation of DNA marker 200-1500+.

10 μ l of DNA marker was mixed with 3 μ l of PCR loading buffer. Fragments were separated in 1.2% agarose gel, which contained ethidium bromid (1 μ g/ml) and 1x TBE buffer. The numbers represent the number of base pairs in corresponding DNA fragments.

Cat. No.	Product name and specification	Amount
D120	DNA marker 200-1500+	25 μg/250 μl
D121	DNA marker 200-1500+	5x 25 μg/250 μl
D122	DNA marker 200-1500+	20x 25 μg/250 μl



	2000000	
	L	- 1500
	L	- 1200
	=	- 1000 - 900
	-	- 800
650 -	ı	- 700
	=	- 600
550 -		
450 -	1	- 500
	-	- 400
350 -	-	
	-	- 300
250 -	-	
		- 200